

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 1/31/2023 Revision date: 1/31/2023 Supersedes: 7/3/2020 Version: 2.1  
SDS No: 00056-0314

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Stabimed ultra  
UFI : QFS1-EMHS-J101-Y13F

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Instrument disinfectant

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

B. Braun Medical AG  
Seesatz 17  
CH-6204 Sempach  
Switzerland  
T +41 (0) 58 / 258 50 00  
[info.bbmch@bbraun.com](mailto:info.bbmch@bbraun.com)

##### Supplier

B. Braun Melsungen AG  
Carl-Braun-Straße 1  
D-34212 Melsungen  
Germany  
T +49(0) 5661 / 71-4422  
[logistics.service@bbraun.com](mailto:logistics.service@bbraun.com)

E-mail address of competent person responsible for the SDS: [sds@gbk-ingelheim.de](mailto:sds@gbk-ingelheim.de)

#### 1.4. Emergency telephone number

Emergency number : INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Self-Reactive Substances and Mixtures, Type F	H242
Acute toxicity (oral), Category 4	H302
Serious eye damage/eye irritation, Category 1	H318

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Heating may cause a fire. Harmful if swallowed. Causes serious eye damage.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Contains :

Disodium carbonate, compound with hydrogen peroxide (2:3)

Hazard statements (CLP) :

H242 - Heating may cause a fire.  
H302 - Harmful if swallowed.  
H318 - Causes serious eye damage.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 - Do not breathe dust.  
P280 - Wear eye protection.

Precautionary statements (CLP) :

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

P301+P312 - IF SWALLOWED: Call a doctor, a POISON CENTER if you feel unwell.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER, a doctor.  
P501 - Dispose of contents and container to an approved waste disposal plant.

Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP) :



GHS02

GHS05

GHS07

Signal word (CLP) :

Danger

Hazardous ingredients :

Disodium carbonate, compound with hydrogen peroxide (2:3)

Hazard statements (CLP) :

H318 - Causes serious eye damage.

Precautionary statements (CLP) :

P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER, a doctor.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments :

Mixture of the substances listed below with nonhazardous additives

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Disodium carbonate, compound with hydrogen peroxide (2:3)	CAS-No.: 15630-89-4 EC-No.: 239-707-6 REACH-no: 01-2119457268-30	> 30 - < 50	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318
citric acid	CAS-No.: 77-92-9 EC-No.: 201-069-1 EC Index-No.: 607-750-00-3 REACH-no: 01-2119457026-42	> 10 - < 20	Eye Irrit. 2, H319 STOT SE 3, H335
Sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498-19	> 1 - < 10	Eye Irrit. 2, H319

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Disodium carbonate, compound with hydrogen peroxide (2:3)	CAS-No.: 15630-89-4 EC-No.: 239-707-6 REACH-no: 01-2119457268-30	( 7.5 ≤C < 25) Eye Irrit. 2, H319 ( 25 <C ≤ 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Data of item 4 do partly not refer to the use and the regular employing of the product (in this sense consult package leaflet and expert information), but to liberation of major amounts in case of accidents and irregularities. Take off immediately all contaminated clothing. If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash off immediately with soap and plenty of water. Call a doctor.
First-aid measures after eye contact	: Wash immediately with plenty water (during 20 minutes), also under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Causes mild skin irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Harmful if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Water spray. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: high volume water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Heating may cause a fire.
Explosion hazard	: Product is not explosive.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO <sub>2</sub> ). Nitrous gasses. Phosphorus oxides. Sulphur oxides.

### 5.3. Advice for firefighters

Precautionary measures fire	: Cool endangered containers with water spray jet.
Firefighting instructions	: Fight fire from safe distance and protected location.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources.

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses.

#### 6.3. Methods and material for containment and cleaning up

For containment : Avoid formation of dust.

Methods for cleaning up : Pick up mechanically, avoiding dust, and provide disposal in suitable recipients. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8. For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide appropriate exhaust ventilation at places of dust forming. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Keep container tightly closed in a dry, cool and well-ventilated place.

Incompatible materials : Strong acids. Strong reducing agents. Strong bases. Metallic salts.

Storage temperature : < 25 °C

Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

See Section 1.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

No additional information available

##### 8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	A specific exposure sampling method is not available.
Biological monitoring methods	A specific exposure sampling method is not available

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

citric acid (77-92-9)	
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0.44 mg/l
PNEC aqua (marine water)	0.044 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	7.52 mg/kg dwt
PNEC sediment (marine water)	0.752 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	29.2 mg/kg dwt

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Data of item 8 do partly not refer to the use and the regular employing of the product (in this sense consult package leaflet and expert information), but to liberation of major amounts in case of accidents and irregularities.

#### 8.2.2.1. Eye and face protection

##### Eye protection:

Eyewash bottle with clean water (EN 15154)

Eye protection			
Type	Field of application	Characteristics	Standard
Protective goggles (EN 166)	Dust		EN 166

#### 8.2.2.2. Skin protection

Skin and body protection	
Type	Standard
Long sleeved protective clothing	EN ISO 6530
Boots	

#### Hand protection:

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,4		EN ISO 374

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No personal breathing protective equipment is normally required. Dust production: dust mask with filter type P1

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not breathe vapours. Wash hands immediately after handling the product. Wash hands before breaks and at the end of workday. Do not eat, drink or smoke in areas where product is used. Avoid contact with eyes.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: light cream.
Appearance	: Powder.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability (solid, gas)	: Not applicable
Explosive properties	: Product is not explosive.
Oxidising properties	: Not oxidising.
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: Not applicable
Upper explosive limit (UEL)	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
SADT	: > 55 – < 75 °C
pH	: ≈ 7.9 (0,162%, 20°C)
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Water: 30 g/l Miscible
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0.89 g/cm <sup>3</sup> (20°C)
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content	: 0 %
Solvent content	: 0 %

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No decomposition if stored normally.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Reacts with: Acids. Bases. Reducing agents. Metallic salts.

#### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

#### 10.5. Incompatible materials

Strong acids. Bases. reducing materials. Metallic salts.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known. Fire may produce: Carbon oxides (CO, CO<sub>2</sub>). Nitrous fumes. Sulphur oxides. Phosphorus oxides.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

<b>Stabimed ultra</b>	
LD50 oral rat	500 mg/kg (OECD 420 method)
<b>citric acid (77-92-9)</b>	
LD50 oral	5400 mg/kg mouse
LD50 dermal rabbit	> 2000
<b>Sodium carbonate (497-19-8)</b>	
LD50 dermal	2500 mg/kg
<b>Disodium carbonate, compound with hydrogen peroxide (2:3) (15630-89-4)</b>	
LD50 oral rat	893 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE CLP (oral)	500 mg/kg bodyweight
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: ≈ 7.9 (0,162%, 20°C)
Serious eye damage/irritation	: Causes serious eye damage. pH: ≈ 7.9 (0,162%, 20°C)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
<b>citric acid (77-92-9)</b>	
STOT-single exposure	May cause respiratory irritation.

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### 11.2.2. Other information

Potential adverse human health effects and symptoms : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance, Prolonged or repeated skin contact can cause irritation

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : (Based on available data, the classification criteria are not met)  
Hazardous to the aquatic environment, long-term (chronic) : (Based on available data, the classification criteria are not met)

<b>citric acid (77-92-9)</b>	
LC50 fish 1	440 – 706 mg/l
EC50 Daphnia 1	1535 mg/l 48 h, Daphnia magna (Water flea)
<b>Disodium carbonate, compound with hydrogen peroxide (2:3) (15630-89-4)</b>	
LC50 fish 1	70.7 mg/l 96 h, Pimephales promelas
EC50 Daphnia 1	4.9 mg/l 48 h, Daphnia magna (Water flea)

### 12.2. Persistence and degradability

<b>Stabimed ultra</b>	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

<b>citric acid (77-92-9)</b>	
Log Pow	≈ -1.72

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

<b>Stabimed ultra</b>	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

Additional information : Prevent entry to sewers and public waters

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Can be incinerated according to local regulations. Recycling is preferred to disposal or incineration. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

Additional information : Flammable vapours may accumulate in the container.

European List of Waste (LoW) code : 18 01 06\* - chemicals consisting of or containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3230	UN 3230	UN 3230	UN 3230	UN 3230
<b>14.2. UN proper shipping name</b>				
SELF-REACTIVE SOLID TYPE F (Disodium carbonate, compound with hydrogen peroxide (2:3))	SELF-REACTIVE SOLID TYPE F (Disodium carbonate, compound with hydrogen peroxide (2:3))	Self-reactive solid type F (Disodium carbonate, compound with hydrogen peroxide (2:3))	SELF-REACTIVE SOLID TYPE F (Disodium carbonate, compound with hydrogen peroxide (2:3))	SELF-REACTIVE SOLID TYPE F (Disodium carbonate, compound with hydrogen peroxide (2:3))
<b>Transport document description</b>				
UN 3230 SELF-REACTIVE SOLID TYPE F (Disodium carbonate, compound with hydrogen peroxide (2:3)), 4.1, (D)	UN 3230 SELF-REACTIVE SOLID TYPE F (Disodium carbonate, compound with hydrogen peroxide (2:3)), 4.1	UN 3230 Self-reactive solid type F (Disodium carbonate, compound with hydrogen peroxide (2:3)), 4.1	UN 3230 SELF-REACTIVE SOLID TYPE F (Disodium carbonate, compound with hydrogen peroxide (2:3)), 4.1	UN 3230 SELF-REACTIVE SOLID TYPE F (Disodium carbonate, compound with hydrogen peroxide (2:3)), 4.1
<b>14.3. Transport hazard class(es)</b>				
4.1	4.1	4.1	4.1	4.1
				
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

ADR	IMDG	IATA	ADN	RID
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : SR1  
Special provisions (ADR) : 194, 274  
Limited quantities (ADR) : 500g  
Excepted quantities (ADR) : E0  
Packing instructions (ADR) : P520, IBC99  
Mixed packing provisions (ADR) : MP2  
Transport category (ADR) : 2  
Hazard identification number (Kemler No.) : 40  
Orange plates :



Tunnel restriction code (ADR) : D

#### Transport by sea

Special provisions (IMDG) : 274  
Limited quantities (IMDG) : 500 g  
Excepted quantities (IMDG) : E0  
Packing instructions (IMDG) : P520  
IBC packing instructions (IMDG) : IBC99  
Tank instructions (IMDG) : T23  
EmS-No. (Fire) : F-J  
EmS-No. (Spillage) : S-G  
Stowage category (IMDG) : D  
Stowage and handling (IMDG) : SW1  
Segregation (IMDG) : SG35, SG36

#### Air transport

PCA Excepted quantities (IATA) : E0  
PCA Limited quantities (IATA) : Forbidden  
PCA limited quantity max net quantity (IATA) : Forbidden  
PCA packing instructions (IATA) : 459  
PCA max net quantity (IATA) : 10kg  
CAO packing instructions (IATA) : 459  
CAO max net quantity (IATA) : 25kg  
Special provisions (IATA) : A20, A802  
ERG code (IATA) : 3L

#### Inland waterway transport

Classification code (ADN) : SR1  
Special provisions (ADN) : 194, 274  
Limited quantities (ADN) : 500 g  
Excepted quantities (ADN) : E0  
Equipment required (ADN) : PP  
Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : SR1  
Special provisions (RID) : 194, 274

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

Limited quantities (RID) : 500g  
Excepted quantities (RID) : E0  
Packing instructions (RID) : P520, IBC99  
Transport category (RID) : 2  
Hazard identification number (RID) : 40

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### VOC Directive (2004/42)

VOC content : 0 %

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### Seveso Directive (Disaster Risk Reduction)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES Self-reactive substances and mixtures, Type C, D, E or F or organic peroxides, Type C, D, E, or F	50	200

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

### SECTION 16: Other information

#### Indication of changes:

All chapters have been modified since the previous version.

Abbreviations and acronyms:	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
DOT	Department of Transport
TDG	Transportation of Dangerous Goods
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IARC	International Agency for Research on Cancer
vPvB	Very Persistent and Very Bioaccumulative
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
CAS	CAS (Chemical Abstracts Service) number
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
BCF	Bioconcentration factor
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
ADG	Transport of Australian Dangerous Goods

#### Other information

: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H242	Heating may cause a fire.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

# Stabimed ultra

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
SDS No: 00056-0314

Full text of H- and EUH-statements:	
H335	May cause respiratory irritation.
Ox. Sol. 2	Oxidising Solids, Category 2
Self-react. F	Self-Reactive Substances and Mixtures, Type F
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Self-react. F	H242	Expert judgment
Acute Tox. 4 (Oral)	H302	On basis of test data
Eye Dam. 1	H318	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.