



EZCOVER[®]

PROBE COVER SET

EZCOVER® – improved protection for patient, user and equipment

Generic Ultrasound Probe Cover Set



EZCOVER. Because infection control matters.

Infection prevention and control are key priorities in the health-care setting. Although ultrasound is considered one of the safest imaging modalities, infection transmission risks during ultrasound are evident.¹ The use of a sterile sheath and gel for interventional ultrasound is an important way to prevent cross-contamination and reduce the risk of healthcare-associated infections.²

“Dedicated transducer covers and sterile gel must be used for all interventions”

(Recommendation of the European Society of Radiology Ultrasound Working Group)

ALL SETS INCLUDE:

- Ultrasound probe cover - available in different sizes (W x L)
 - 15 x 30 cm
 - 15 x 61 cm
 - 15 x 122 cm
 - 15 x 244 cm
- Sterile ultrasound gel (1 x 20 g)
- Latex-free rubber fixation bands (2 x)
- Blue sterile drape (30 x 30 cm)

EZCOVER. Improved protection for patient, user and equipment.

EZCOVER are sterile, latex-free and ensure maximum protection for the patient, the user and the equipment. EZCOVER are suited to all sterile and non-sterile ultrasound applications.

Easy to fit and convenient to use.

The telescopic folding allows for sterile application. Clear instruction labels on the cover decrease the risk of errors and misuse.

Image quality without compromise.

The high-quality material of the soft sleeve emulates the properties of human tissue. The elastic material facilitates wrinkle and air-free application for distortion free scanning.



EZCOVER BENEFITS:

IMPROVED PROTECTION

- Latex-free
- Approved for intraoperative use
- Reduces risks of procedural errors (STOP (Check) Sticker)

EASY TO FIT – CONVENIENT TO USE

- Improved handling
- Elastic material – conforms to all probes
- All necessary components for immediate use in one set

ADVANCED PERFORMANCE

- Soft and comfortable material
- Wrinkle and air-free fit
- No compromise in image quality

New! Stop before you block.

Wrong site blocks (WSB) are classified as never events but they tend to happen frequently.³ A nation-wide patient safety campaign in the UK called “Stop before you block” is aimed at reducing the incidence of inadvertent wrong-sided nerve blocks during regional anesthesia.⁴

EZCOVER are available with STOP (Check) label. The sticker reminds the practitioner to STOP immediately prior to the start of the procedure and conduct a final confirmation on the right surgery site and side of the block.



BENEFITS:

- Assures compliance with the WHO Checklist (JCI Standards IPSG4 and IPSG.4.1)
- Reduces risks of wrong-sided blocks

PORTFOLIO OVERVIEW

	Description	Size (W x L cm)	Units	Article Code
Generic Set				
	U/S Probe Cover Set w/Gel	15x30	30/Box	PCG15030
	U/S Probe Cover Set w/Gel	15x61	30/Box	PCG15061
	U/S Probe Cover Set w/Gel	15x122	30/Box	PCG15122
	U/S Probe Cover Set w/Gel	15x244	25/Box	PCG15244
Set with STOP (Check)				
	U/S Probe Cover Set, STOP w/Gel	15x30	30/Box	PCT15030
	U/S Probe Cover Set, STOP w/Gel	15x61	30/Box	PCT15061
	U/S Probe Cover Set, STOP w/Gel	15x122	30/Box	PCT15122
	U/S Probe Cover Set, STOP w/Gel	15x244	25/Box	PCT15244

LITERATURE:

- Sartoretti T, Sartoretti E, Bucher C et al. Bacterial contamination of ultrasound probes in different radiological institutions before and after specific hygiene training: do we have a general hygienical problem? Eur Radiol. 2017 Oct;27(10):4181-4187
- Nyhsen CM, Humphreys H, Koerner RJ et al. Infection prevention and control in ultrasound - best practice recommendations from the European Society of Radiology Ultrasound Working Group. Insights Imaging. 2017 Dec;8(6):523-535
- Cohen SP, Hayek SM, Datta S, Bajwa ZH, Larkin TM, Griffith S, Hobelmann G, Christo PJ, White R. Incidence and root cause analysis of wrong-site pain management procedures: a multi-center study. Anesthesiology. 2010 Mar;112(3):711-8
- <https://www.ra-uk.org/index.php/stop-before-you-block>